Proceedings of the International Astronomical Union

Date of delivery:	5	May 2016
-------------------	---	----------

CAMBRIDGE

Journal and vol/article ref: IAU 1600037

JOURNALS

Number of pages (not including this page): 3

This proof is sent to you on behalf of Cambridge University Press. Please check the proofs carefully. Make any corrections necessary on a hardcopy and answer queries on each page of the proofs

Please return the **marked proof** within

days of receipt to:

Managing editor of this symposium

Authors are strongly advised to read these proofs thoroughly because any errors missed may appear in the final published paper. This will be your ONLY chance to correct your proof. Once published, either online or in print, no further changes can be made.

To avoid delay from overseas, please send the proof by airmail or courier.

If you have **no corrections** to make, please email **managing editor** to save having to return your paper proof. If corrections are light, you can also send them by email, quoting both page and line number.

• The proof is sent to you for correction of typographical errors only. Revision of the substance of the text is not permitted, unless discussed with the editor of the journal. Only **one** set of corrections are permitted.

- Please answer carefully any author queries.
- Corrections which do NOT follow journal style will not be accepted.

• A new copy of a figure must be provided if correction of anything other than a typographical error introduced by the typesetter is required.

If you do not send any corrections to the editor within 5 days, we will assume your proof is acceptable.

• If you have problems with the file please contact

lwebb@cambridge.org

Please note that this pdf is for proof checking purposes only. It should not be distributed to third parties and may not represent the final published version.

Important: you must return any forms included with your proof. We cannot publish your article if you have not returned your signed copyright form.

NOTE - for further information about **Journals Production** please consult our **FAQs** at http://journals.cambridge.org/production_faqs

Author queries:

Typesetter queries:

Non-printed material:

1 2

3

4

5

6 7

8 9

Yu Liu¹, Tengfei Song¹, Xuefei Zhang¹, Shunqing Liu¹, Mingyu Zhao¹, Zhanjun Tian¹, Yuhu Miao¹, Hongbo Li¹, Jing Huang¹, Baoyu Su¹, Yongyin Lu¹, Xiaobo Li¹ and Qiwu Song²

Progress of site survey for large solar

telescopes in western China

¹Yunnan Observatories, Chinese Academy of Sciences, Kunming 650011, China email: lyu@ynao.ac.cn

²Purple Mountain Observatory, Chinese Academy of Sciences, Nanjing 210008, China email: songqw@pmo.ac.cn

10 Abstract. Excellent sites are necessary for developing and installing ground-based large tele-11 scopes. For very-high-resolution solar observations, it had been unclear whether there exist 12 good candidate sites in the west areas in China, including the Tibetan Plateau and the Pamirs 13 Plateau. The project of solar site survey for the next-generation large solar telescopes, i.e., the 14 Chinese Giant Solar Telescope (CGST) and the large coronagraph, has been launched since 15 2011. Based on the close collaboration among Chinese solar society and the scientists from 16 NSO, HAO and other institutes, we have successfully developed the standard instruments for 17 solar site survey and applied them to more than 50 different sites distributed in Xinjiang, Tibet, 18 Qinghai, Sichuan, Yunnan and Ningxia provinces. We have built two long-term monitoring sites 19 in Tibet and the large Shangri-La to take systematic site data. Clear evidence, including the key 20 parameters of seeing factor, sky brightness and water vapor content, has indicated that a few 21 potential sites in the large Tibetan areas should obtain the excellent astronomical conditions for 22 our purpose to develop CGST and large coronagraph. We introduce the fresh site survey results 23 in this report.

24

25

Keywords. Site testing, surveys, Sun.

1. Introduction

The site survey is focused to look for the best candidate sites which should satisfy the strict requirement for a series of key parameters including average seeing factor r0, sky brightness, number of clear-sky days, precipitable water vapor content (PWVC), atmospheric coherence time, isoplanatic angle, meteorological information *et al.* The purpose of the site survey is expected to be accomplished as early as possible in recent years. The members of our site survey team come from a few institutes and universities including YNAO, PMO, NAOC, NJU and USTC.

The instruments for our survey mainly contain solar differential image motion monitor (S-DIMM), sky brightness monitor (SBM), PWVC monitor, DIMM, atmospheric temperature fluctuation monitor, and robot weather station, *et al.* Calibration for those instruments had been done carefully.

The schedule is roughly to be (1) In 2010, based on the study of meteorological and geographic information, we determine 10-20 candidate sites preliminarily. (2) During 2011-2012, we complete the site survey for the 10-20 candidate points. (3) During 2013-2014, we complete on-site field survey for 2 yr. (4) During 2015-2016, we finally determine the best sites for infrared and optical observation.



Figure 1. Top: The WMS (Daocheng) monitoring station located in western Sichuan. Buttom: The Namco monitoring station located in Tibet.



Figure 2. Professional site survey instruments after critical calibrations are used for the solar site survey.

2. Strategy: remote and on-the-spot survey

By using long-term meteorological data and GIS information, we can quickly decide and select the first-step candidate regions which are located in some areas of Pamier, Tibet and large Shargri-La in western China. The on-the-spot survey work has supplied us with the short-term data for the first comparison. Figure 1 shows the two potential sites, located in western Sichuan and Tibet, for long-term monitoring research. Figure 2 shows the instruments that are used for the site survey by the observers trained.

3. Fixed-point monitoring

42

43 44

45

46 47

48

49

50

51

52

53 54

55

56

57

58

Two best candidate sites, Namco lake and Wumingshan (WMS) mountain, have been chosen to make the long-term monitoring with SDIMM and the other instruments (Figure 1 and 2). Both the sites are located about 4700 m above the sea level. The average wind speeds for them are estimated less than 5 m/s from the meteorological stations nearby.

As an example of the data, in Figure 3 the left frame shows the daytime seeing factor evolution, while the right one shows the sky brightness data during the whole day time. The average daytime seeing for both the two sites are more than 10 cm for the first year measurement. The sky brightness level at WMS monitoring station is excellent since the altitude there is so high that the atmosphere should be clean. A detailed report has been




Figure 3. Left: Sample of seeing during day time. Right: Sample of sky brightness during day time.




Figure 4. Sample of seeing during night time based on DIMM measurement.

completed recently for the site at WMS based on one-year monitoring measurements for
 both day and night seeing and the other parameters, which will be published elsewhere.

4. Conclusion

61 62

63

64

65

66

67 68 Based on the current results, the sites at Namco and WMS have been paid more and more attention for their excellent aspects in daytime seeing factor. Moreover, WMS owns better quality in clean atmosphere, excellent seeing factors for both daytime and night-time and number of yearly clear-sky days/nights.

Therefore, for WMS station, a new monitoring platform will be constructed at a location to fully escape from evening light pollution from village, road and airport. The day-and-night continuous monitoring at WMS will be kept at least for the next few years.

69 References

- Ehgamberdiev, S., Baijumanov, A., Ilyasov, S., Sarazin, M., Tillayev, Y., Tokovinin, A., & Ziad,
 A. 2000, Astron. Astrophys. Suppl. Ser., 145, 293
- 72 Lawrence, J., Ashley, M., Tokovinin, A., & Travouillon, T. 2004, Nature, 431, 278
- 73 Liu, Y., Shen, Y., Zhang, X., & Liu, N. 2012, Solar Phys., 279, 561
- 74 Liu, Y. & Zhao, L. 2013, *MNRAS*, 434, 1674
- 75 Stone, R. 2010, Science, 329, 1002
- 76 Wu, N., Liu, Y., & Zhao, M. 2015, Acta Astronomica Sinica, 56, 77
- 77 Zhao, M., Liu, Y., Elmhamdi, A., Kordi, A., & Al-trabulsy, H., et al. 2014, MNRAS, 443, 1955